



SLOTO

Safety Lock-Out and Tag-Out Systems

SLOTO is a division of Subham Safety-a group dedicated towards Industrial safety since 28 Years.


It was established with a aim to

1. Create awareness about Control of Hazardous energy & LOTO.
2. Developing effective and economical solutions for all industries

We are certified to ISO 9001 : 2008 standard of quality management system.

We offer comprehensive solutions which include:

1. Walk Through Survey.
2. Designing LOTO procedures.
3. Supply of Equipment.
4. Classroom & Hands on Training.



Cheetah Safety Padlocks (OSHA)

- Brass Cylinder Pins and with 2 Brass Keys
- 600+ Combinations to avoid Key Repetition.
- Permanent laser numbering on Lock and Key.
- Key doesn't drop until lock is applied.
- UV stabilized & non Conductive body.
- 7 Distinct colors for easy identification
- Made In India
- Shackle Clearance: Regular 38mm (+8mm),

Xtra long 76mm (+8mm)

Cable length 600mm



Red : Electrical
Black : Production
Yellow : Mechanical

Blue : Instrumentation
Green : Safety
Orange : Others

Model Number :

1. Key Different steel shackle (LT-LCS)
2. Di-Electric shackle (LT-LCD)
3. Same Key Lock Steel Shackle (LT-LC KA)
4. Xtra Long Shackle (LT-LCX)
5. Cable Shackle (LT-LCC)





Model No :
LT-LS (Different Key)
LT-LS MK (Master key)
LT-LS DE (Di-Electric Shackle)

Supra Padlocks


- 2 Computerised Laser Numbered keys
- Danger warning and space for user name.
- Non- corrosive body with distinct colors
- UV stabilized for weather resistance
- Keys don't drop till lock is removed
- Keys don't repeat for more than 6,000 Locks
- Can be personalized with user photo, name, employee

code & logo (M O Q Applicable)


Key Types



Available in Supra Model and
Cheetah Model



Available in Cheetah Model Only
(LT-LCS-SK)



Available in Supra Model Only
(LT-LS MK)

HSN 83014090, GST 18%

Padlocks - Comparison



Parameter	SLOTO Cheetah Series	SLOTO Supra Series	Others Brands	Advantage
Design	Cylinder + Solid Body		Plastic Cover on Iron Lock	More Durable on impact
Marking	Laser Engraved on key and lock		Only sticker which damages by water / general wear and tear.	Permanent identification
Shackle MOC	Hardened steel / Nylon		Iron / ordinary steel	More Strength and options
Shackle Length	Standard 38mm / long 76mm		Short 25mm long 45mm	Standard lengths suitable for loto
Key Hold	The Key doesn't drop until lock is removed		Key comes out if lock is not applied	Chances of improper lockout is minimized
Mechanism	Brass Cylinders (Different key / Same Key)	Brass Cylinders (Different / Same or Master key)	Iron Cylinders	Non-Corrosive and Durable
Key Combination	400 keys (low chance of repetition at a single site)	10,000 keys (virtually no repetition)	60-200 combination	Lower Key duplicity (one lock's key will not open another lock easily)
Key Moc	Brass Key with plastic Casing	Solid Brass Key	Iron key may rust/ break easily.	Non-Corrosive and durable
Key pattern	Large Machine cuts	Computerised cuts	small Manual key-cut	Higher operation cycles



LT-TDP

LOTO Tags (LT-TDP)



- Water resistant
- Heavy duty 0.6mm PVC
- Eyelet to use with locks
- Space to fill in details
- Available with Serial Number
- Multi-Lingual Signs
- Size : 3" x 6"
- 50 Pound Weight Test (OSHA Requirement)




LT-TCM 02



LT-TCM 03



LT-TCM 04



LT-TCM 05





LT-TCM 09



LT-TCP 01




LT-TCP 02



LT-TCP 06



LT-TCP 07





LT-TFE (Fire Extinguisher Tag)




LT-TFH (Fire Hydrant Tag)



LT-TES Eyewash Tag




Tag Holder
LT-TH1
Suitable for Tag of size : 2.5" x 6"
Made of ABS Polymers
Provision to Hang on 48mm Scaffold directly or fixed with Binding wire or cable tye
Default sticker of Unsafe to Use.



LT-TIS ELCB (Sticker)



LT-TIS EF (Sticker)




LT-TIS CI (Sticker)



LT-TSR



LT-TSG



LT-TSG 02



LT-TSO



LT-TLI



Stainless Steel Hasp

MOC : Stainles Steel with Vinyl coating

Can apply upto 6 locks of 8MM Shackle

Two Sizes : 25mm Dia Model: **LT-HVC 25**

38mm Dia Model: **LT-HVC 38**



Tagged Hasp

LT-HTG

Change the label and re-use

Can apply upto 6 Locks

Compatible for Locks of upto 8MM Shackle

Made of red anodized Aluminum

Additional Labels : LT-HSL



Di-Electric Hasp for Three Locks

LT-HET

MOC: non-Conductive, UV Stable Polymers

Can apply upto Three Locks of upto 8MM

Shackle Dia 6mm



Di-Electric Hasp for Four Locks

LT-HEF

MOC: non-Conductive, UV Stable Polymers

Can apply upto 4 Locks of upto 8MM

Shackle Dia 8mm





 YouTube

1. Cable Lockout (LT-CK) Upto 20 Mtrs Cable

Can apply on electrical & mechanical devices.

MOC Device : Non-Conductive polymer with S.S.core.

MOC Cable : Vinyl coated Steel cable

High strength and non-abrasive contact.

Can apply upto 8 Locks



2. Handy Cable Lockout (LT-CH2)

Single Handedly operable-user friendly device

Can apply 6 Locks at once

Vinyl coated steel cable for strength

Available in 1mtr-20mtrs Length



3. Stainless Steel Cable Lockout (LT-CM2)

Device made from Stainless steel

Cable made of Stainless steel

Suitable for Highly corrosive and High Temp
Operations

















LT-EPI Pin in Device

LT-EPO Pin Out Device

LT-EPW Pin Wide Device

LT-EPK COMBO KIT









LT-EBC
Common slot
MCB Lockout

LT-EBX
eXtended Slot
MCB Lockout

LT-EBU
Universal Slot
MCB Lockout


LT-EBM
Medium slot
MCB Lockout

LT-EBS
Small slot
MCB Lockout

LT-EBD
D-Slot
MCB Lockout










LT-EBL
Large MCCB Lockout

LT-EBR
Rail MCCB Lockout

LT-EBO
Old MCCB Lockout

LT-EBF
Fuse Block Lockout

HSN 83014090, GST 18%

Plug & Pendant Lockout



LT-EPL SM

Plug Lockout SMall
100(l) x 65(w) x 85mm(h)

LT-EPL LG

Plug Lockout LarGe
85mm Dia x 150mm(h)

LT-EPC LG

Pendant Cover LarGe
100mm Dia x 450mm

Covers the Plug / pendant inside the casing so that it cannot be energised.
Made of impact resistant metal free polymer.

HSN 83014090, GST 18%

Push Button Lockout (LT-EPB UNI)
for Push Buttons, Rotary Switches, Gas distribution boards and many other devices.,
MOC : Poly Carbonate for transparency and strength
Size : Cover H37mmx47mm Ø -
Base - h20mmx 45.5mm Ø -
Slots in base-23.5mmØ & 30mmØ
Can be fitted directly or Pasted



 **YouTube**



 **YouTube**



LT-EPB MSM

Mushroom type Push Button Lockout

These are Simple to use covers for Mushroom type Push Buttons

MOC : Engineering Grade ABS

Size : 80mm Ø x 25mm Thickness



HSN 83014090, GST 18%

Old Panel Handle Lockout Arm (LT-EHA)

1. Fastest means to enable loto on any old panel
2. Place base plate below the SFU handle in such position such that device can harness the Handle when in OFF

Easy to install- can be pasted/screwed on the panels. MOC : Base :
ABS, Arms : Steel

Size : 40mmx40mmx8mm, arm : 25mmx175mm (each)



Electrical Handle Cover lockout


Handle Cover / Large selector switch lockouts
Panel Handle locked inside box (LT-EHC),

1. Handle cut-out at 90°/180°(LT-EHC 90)
2. Cut-out at 135° (Diagonal) (LT-EHC 135)

Installation: can be pasted, screwed /Jammed*
MOC : Polycarbonate

Size : 100mm x 100mm x 100mm





LT-EBR
Rackout
Blocker
Device



LT-EET
Enabler
2 piece type




LT-EER
Enabler
Rod Type

Gate Valve Lockout encapsulates the wheel of the gate valve inside its ABS Casing.
Wheel Lockout is available in Different Sizes :

Top Knock-off For Rising
Stem Valves

Bottom Knock-off
For Thick Stem
Valves



Non-Metallic Hinges

Guide Pin for
Secure Fit

 YouTube



 YouTube



10- 80mm (LT-VGV 80) | 25-180mm (LT-VGV ADJ) | 150-300mm (LT-VGV 300) | LT-CK3 SS
(Thickness : 35mm) (Thickness : 45mm) (Thickness : 50mm) Universal

Ball Valve Lockout

Ball valve lockout secures the valve head and handle so that it cannot be operated.
Can be applied to valve upto 38mm in open / closed mode.
Fusing it along with Cable devices enhances the strength of the device.



Standard : LT-VBV

| With Extension: LT-VBV EX

| Cabled : LT-VBV CK,

HSN 83014090, GST 18%


Universal Valve Lockout

These are designed to be used with most kinds of ball and butterfly valves.
2 Length Adjustments for a versatile applicability (no need of 2 different size devices)
MOC : Engineering Grade ABS Re-Inforced with **Stainless Steel (SS304)** core



Adjustable Lengths through Gears


1st Gear



2nd Gear



Wire-Cut Jaws for Strength



Available in
Single and Dual Legs

Available with single leg (LT-VBV-USL) &
Double Leg recommended for Valves which open on Both the Sides (Left and Right)



[YouTube](#)

Butterfly valve lockout (LT-VBF)

places a spacer between the valve handle & lever bar so that valve cant be pressed or operated.



Cable Butterfly Valve Lockout

- Devices blocks the gap
- Use Cable to fasten the device
- Comes with 2mtr Cable
- (LT-VBF CK)

[YouTube](#)



Universal Butterfly valve lockout holds the handle &, creates a blockage between handle & lever.

(LT-VBV UNI)

Cylinder Lockout



LT-CYD

Cylinder valve Lockout will conceal the cylinder valve.
Made from high impact resistant polymers.
Available in 2 sizes:-
Long neck type cylinder (LT-CYD) and
short neck (LT-CYS)



LT-CYS



Pneumatic Lockout box
accepts five different size of
nipples and secures them
inside the box.
(LT-PNB)




Neck Lock Pneumatic
lockout is made from
stainless steel.
It locks different types
of couplings. **(LT-PNS)**



LT-PNR

Ring type Pneumatic
lockout



Wheel Lockout Clamp
(LT-WLC)

Adjustable Jaw
(50mm –175mm)



Steering Cover Lockout

Made of Durable Water and Oil Resist Fabric
Note : This Device is only a Tagout, We recommend
the use of cable lockout along with this device

LT-WSC 16

16" Dia



LT-EBC

LT-EBX



LT-EBM

LT-EBS

LT-EBU

MCB Screw Kit

LT-EBK 1 (Set of 5 Items)




LT-EBO

LT-EBF

LT-EBL

Large Circuit Breaker Kit

LT-EBK 2 (Set of 20 Items)



LT-EBO

LT-EBF

LT-EBL

MCB Pin Kit

LT-EPK (Set of 3 Items)

LT-KEB Sloto Kit Electrical Basic (18)



• LT-TDP- EH – Tag	6Nos
• LT-LCS OSHA Padlocks	3Nos
• LT-HEF Di-electric Hasp	1Nos
• LT-HVC 25 SS Hasp 25mm Jaw	1Nos
• LT-EBC MCB Lockout,	1Nos
• LT-EBM MCB Lockout,	1Nos
• LT-EKP Pin Lock out Kit, 3ItemX1 Set	3Nos
• LT-SZP Zippper Pouch	1Nos
• LT-APN - Marker Pen with Eraser	1Nos
Model: LT-KEB, Make: Sloto, Rate ₹1950/set, No of Item	18Nos

LT-KES Sloto Kit Electric Standard (30)



• LT-TDP- EH – Tag	10Nos
• LT-LCS OSHA Padlocks	5Nos
• LT-HEF Di-electric Hasp 4 Hole, 6mm	2Nos
• LT-HVC 25 SS Hasp 25 mm Jaw	1Nos
• LT-EBK1 MCB Kit, Set of 5 X 1 SETS	5Nos
• LT-EBL Large MCCB Lockout	1Nos
• LT-EPK Pin Lock out Kit, 3ItemX1 Set	3Nos
• LT- CK1 Cable Lockout	1Nos
• LT-GBP Group Lock Box Portable	1Nos
• LT-APN - Marker Pen with Eraser	1Nos
Model: LT-KES, Make: Sloto, Rate ₹4250/set, No of Item	30nos

LT-KEA Sloto Kit Electric Advanced (100)



• LT-TDP- EH – Tag	50Nos
• LT-LCS OSHA Padlocks	15Nos
• LT-HEF Di-electric Hasp 4 Hole, 6mm	4Nos
• LT-HET Di-electric Hasp 3 Hole, 4mm	1Nos
• LT-HVC 25 SS Hasp 25 mm Jaw	2Nos
• LT-EBK1 MCB Kit, Set of 5 X 2 Set	10Nos
• LT-EBK2 Large Breaker Kit, 3ltes x 1Set	3Nos
• LT-EPK Pin Lock out Kit, 3items X2Set	6Nos
• LT-EPL SM Plug Lockout Box Small	1Nos
• LT-EPL LG Plug Lockout Box Large	1Nos
• LT-EPB MSM- Mushroom Push	1Nos
• LT-EPB Uni - Push Button Lockout	1Nos
• LT-EHC Handle Cover / Push Button	1Nos
• LT- CK1 Cable Lockout – 1 Mtrs	1Nos
• LT-SCM Loto Station	1Nos
• LT-RIR Isolation Register	1Nos
• LT-APN - Marker Pen with Eraser	1Nos
Model: LT-KEA, Make: Sloto, ₹14950/set, No of Item	100 nos

LT-KUB, Sloto Kit Universal Basic (50)



• LT-TDP- EH – Tag	20Nos
• LT-LCS OSHA Padlocks	6Nos
• LT-HEF Di-electric Hasp 4 Hole, 6mm Shackle	1Nos
• LT-HET Di-electric Hasp 3 Hole, 4mm Shackle	1Nos
• LT-HVC 25 SS Hasp 25 mmJaw	1Nos
• LT-EBK1 MCB Kit, Set of 5 X 1 SETS	5Nos
• LT-EBK2 Large Breaker Kit, 3Item X1 Set	3Nos
• LT-EPK Pin Lock out Kit, 3items X1 Set	3Nos
• LT-EPL SM Plug Lockout Box Small	1Nos
• LT-EPB Uni - Push Button Lockout	1Nos
• LT-CYD Cylinder Lokcout	1Nos
• LT- CK2 Cable Lockout – 2Mtrs	1Nos
• LT-VGV 80 Gate Valve 80mm	1Nos
• LT-VGV ADJ Gate valve 180mm	1Nos
• LT-VBV Ball Valve Lockout	1Nos
• LT-SBS Transparent Loto Bag	1Nos
• LT-RIR Isolation Register	1Nos
• LT-APN - Marker Pen with Eraser	1Nos

Model: LT-KUB, Make: Sloto, ₹6750/Set, Total 50Item

LT-KUS, Sloto Kit Universal Standard (100)



• LT-TDP- EH – Tag	50Nos
• LT-LCS OSHA Padlocks	12Nos
• LT-HEF Di-electric Hasp 4 Hole, 6mm Shackle	4Nos
• LT-HET Di-electric Hasp 3 Hole, 4mm Shackle	1Nos
• LT-HVC 25 SS Hasp 25 mm Jaw	1Nos
• LT-EBK1 MCB Kit, Set of 5 X 1 SETS	5Nos
• LT-EBK2 Large Breaker Kit, 3Item X1 Set	3Nos
• LT-EPK Pin Lock out Kit, 3items X2 Set	6Nos
• LT-EPL SM Plug Lockout Box Small	1Nos
• LT-EPL LG Plug Lockout Box Large	1Nos
• LT-EPB Uni - Push Button Lockout	2Nos
• LT-EHC Handle Cover / Push Button	1Nos
• LT- CK2 Cable Lockout – 2Mtrs	1Nos
• LT-CYD Cylinder Lockout	1Nos
• LT-PBS Pneumatic Box (5in1)	1Nos
• LT-PNR Pneumatic Lockout	1Nos
• LT-VGV 80 Gate Valve 80mm	2Nos
• LT-VGV ADJ Gate valve 180mm	1Nos
• LT-VGV 300 Gate valve 300mm	1Nos
• LT-VBV Ball Valve Lockout	1Nos
• LT-VBF Butterfly Valve	1Nos
• LT-SCL Station Loto Medium	1Nos
• LT-RIR Isolation Register	1Nos
• LT-APN - Marker Pen with Eraser	1Nos

Model: LT-KUS, Make: Sloto, ₹19450/Set, Total 100Item

LT-KUA, Sloto Kit Universal Advanced(225)



• LT-TDP- EH – Tag	100Nos
• LT-LCS OSHA Padlocks	50Nos
• LT-HEF Di-electric Hasp 4 Hole, 6mm Shackle	10Nos
• LT-HET Di-electric Hasp 3 Hole, 4mm Shackle	2Nos
• LT-HVC 25 SS Hasp 25 mmJaw	4Nos
• LT-HVC 38 SS Hasp 38 mm Jaw	2Nos
• LT-HTG Tagged Hasp	1Nos
• LT-EBK1 MCB Kit, 5items x 3 Set	15Nos
• LT-EBK2 Large Breaker Kit, 3Item X2 Set	6Nos
• LT-EPK Pin Lock out Kit, 3items X3 Set	9Nos
• LT-EPL SM Plug Lockout Box Small	2Nos
• LT-EPL LG Plug Lockout Box Large	1Nos
• LT-EPB MSM- Mushroom Push	1Nos
• LT-EPB Uni - Push Button Lockout	1Nos
• LT-EHC Handle Cover / Push Button	1Nos
• LT- CK2 Cable Lockout – 2Mtrs	2Nos
• LT- CK5 Cable Lockout – 5Mtrs	1Nos
• LT-CYD Cylinder Lockout	1Nos
• LT-PBS Pneumatic Box (5in1)	1Nos
• LT-PNR Pneumatic Lockout	1Nos
• LT-VGV 80 Gate Valve 80mm	2Nos
• LT-VGV ADJ Gate valve 180mm	1Nos
• LT-VGV 300 Gate valve 300mm	1Nos
• LT-VBV EX Ball Valve EX	1Nos
• LT-VBV Ball Valve Lockout	2Nos
• LT-VBV USL Universal valve SL	1Nos
• LT-VBF Butterfly Valve	1Nos
• LT-VBF CK Butterfly Valve	1Nos
• LT-SBM Medium Size Bag	1Nos
• LT-SCL Station Loto Medium	1Nos
• LT-RIR Isolation Register	1Nos
• LT-APN - Marker Pen with Eraser	1Nos

Model: LT-KUA, Make: Sloto, ₹39950/Set, total 225Item

HSN 83014090, GST 18%

LT-KMB, Sloto Kit Mechanical Basic (25)

LT-KMS, Sloto Kit Mechanical Standard (40)

LT-KUA, Sloto Kit Mechanical Advanced(100)



Description	Qty
· LT-TDP- EH – Tag	10Nos
· LT-LJ Padlocks	4Nos
· LT-HVC 38- Hasp vinyl coated	1Nos
· LT-CK2 Cable Lockout	1Nos
· LT-PNR Prnumatic Round Lockout	1Nos
· LT-VGV80 – Gate Valve Upto 80mm	1Nos
· LT-VGV ADJ – Gate valve adjustable	1Nos
· LT-VGV 300 Gate Valve Large	1Nos
· LT-VBV EX – Ball Valve Small EX	1Nos
· LT-VBF Butterfly Valve	1Nos
· LT -SBT Loto Transparent Bag	1Nos
· LT-RIR Isolation Register	1Nos
· LT-APN Marker Pen	1Nos
Model: LT-KMB, Make: Sloto, ₹5950/Set, Total	25Item



Desciption	Qty
· LT-TDP- EH – Tag	15Nos
· LT-LJ Padlocks	10Nos
· LT-HVC 38- Hasp vinyl coated	3Nos
· LT-CK5 Cable Lockout	1Nos
· LT-CYD Cyliner Lockout	1Nos
· LT-PNR Prnumatic Round Lockout	1Nos
· LT-VGV80 – Gate Valve Upto 80mm	1Nos
· LT-VGV ADJ – Gate valve adjustable	1Nos
· LT-VGV 300 Gate Valve Large	1Nos
· LT-VBV EX – Ball Valve Small EX	1Nos
· LT-VBV USL – Ball Valve Large	1Nos
· LT-VBF Butterfly Valve	1Nos
· LT -SBS Loto Bag	1Nos
· LT-RIR Isolation Register	1Nos
· LT-APN Marker Pen	1Nos
Model: LT-KMS, Make: Sloto, ₹11950/Set, Total	40Item



Desciption	QTTY
· LT-TDP- EH – Tag	50Nos
· LT-LJ Padlocks	18Nos
• LT-HEF Hasp 4 hole	5Nos
· LT-HVC 25-Hasp vinyl coated	2Nos
· LT-HVC 38- Hasp vinyl coated-5Nos	2Nos
· LT-CK2 Cable Lockout 2mtr	2Nos
· LT-CK5 Cable Lockout 5mtr	2Nos
· LT-CYD Cyliner Lockout	1Nos
· LT-PNR Prnumatic Round Lockout	1Nos
· LT-VGV80 – Gate Valve Upto 80mm	2Nos
· LT-VGV ADJ – Gate valve adjustable	2Nos
· LT-VGV 300 Gate Valve Large	1Nos
· LT-VBV EX – Ball Valve Small EX	3Nos
· LT-VBV USL – Ball Valve Large	2Nos
· LT-VBF Butterfly Valve	3Nos
• LT-SBT Transparent Bag	1Nos
· LT-APN Marker Pen	1Nos
• LT-SCL Loto Station (Container)	1Nos
· LT-RIR Isolation Register	1Nos
Model: LT-KMA, Make: Sloto, ₹29750/Set, total	100Item

Pouches and Stations



Transparent Bag (LT-SBT)

- Large size and transparent for visibility
- Buttons for securing devices inside



Zipper pouch (LT-SZP)

- Can be mounted on belt
- Sleeve for segregating tag and locks

HSN 42022190, GST 18%



Waist Pouch (LT-SWP)

- Adjustable Size
- Two pockets to organize things
- Good Quality Zipper


HSN 73102990, GST 18%



Rail type Padlock Station

Compact and easy to mount.,
Available in two models :

- LT-SOL 12 – for 12 padlocks
- LT-SOL 6 – for 6 padlocks



4 Rows of
7 Hooks

Total
28 hooks
LT-SLS



6 Rows of
12 Hooks

Total
72 hooks
LT-SKS

Key Station : Similar to lock station,
Placement of slots for multiple Keys

1. LT-SKS - 72 Keys – Size : 18"x 16"x2"
2. LT-SKM 120 Keys – Size : 30"x 18" x 2"



LT-SLM (42 HOOKS)
LT-SKM 120 HOOKS)

Padlock Station :

1. LT-SLS - 28 Locks – Size : 18"x16"x 2"
2. LT-SLM - 42 Locks – Size : 30"x 16"x 2"



LT-SCL

- ✓ MOC : G.I.Powder Coated or SS304
- ✓ Clear Acrylic Fascia with Reflective Indicators
- ✓ All stations provided with lock for security
- ✓ Integrated knob and lock
- ✓ 1st row for Tags & Hasp, 2nd Row for Lock.
- ✓ Extra Shelves for valve /electrical Devices depending on sizes

1. LT-SCM 18"X 18" X 9"
2. LT-SCL 30"X 16"X 9"
3. LT-SCXL 60" X 36" X 18"



LT-SCM (Sloto)
Content
NOT INCLUDED
Only Box



LT-SC XL



LT-GBP



LT-GBM

Made from Powder Coated Steel Secures the Key of the locked Devices Wall Mountable Box - Sizes as below

Size : (LWH)	No of Locks	Model
8" x 5" x 4"	10 Locks	LT-GBP
10" X 6" X4"	16 Locks	LT-GBM
18" X 6" X 6"	35 Locks	LT-GBL



**Compact Group Lockout Box
LT-GBC**



**Panels Available for 4, 16 Boxes
LT-GBP 4, LT-GBP 16**

- 4 Hangers to mount upto 3- keys in each (around 20 keys can be placed loose inside the box.)
- 5 Locks can be applied at once (use hasp for more)
- Slot to Insert additional keys post initial lockout
- Emergency access /View window
- Can be mounted on Panels or Wall.,
- MOC : Powder Coated MS,
- Size : 150x 150x 50mm, (18mm lock ext).

Loto Posters Size : 18" x 24"




LOTO Foldable Signage, LT-TFS




More Designs can be customized. Based on Requirement

LT-TBR Board Radium,




LOTO Board Glow, LT-TBG




LT-TBP 01



LT-TBP 02




LT-TBP 03



LT-TBP 04



TBP 05



TBP 06

SLOTO

Safety Lock-Out and Tag-Out Systems

Registers and Stickers



LT-RIR Isolation Register



LT-TPH Permit Holder

LOTO Isolation Point Stickers 2" X 2"



LT-TIP EL



LT-TIP PN



LT-TIP GR



LT-TIP ST



LT-TIP HY



LT-TIP VL




LT-TIP ME



LT-TIP GN




Loto Training
Stickers
LT – TTS (2" X 2")



LOTO
Training
Work Station
LT-Tws

LOTO
DOJO
Board
LT-TDJ



Loto Implementation Program (LT- ISY)

- 1 Walk through survey and survey report
 - 1 Training Program LT-DTR
 - 2 hands on training for the workers
 - Discounts on Purchases Made within Year
- For all Lockout and Tagout Products



Sloto Training Program - LT-ITP

Class Room Presentation - 60 Mins

- W's of LOTO (What, who, when....,)
- SLOTO Hardware & Procedures
- Field Demonstration – 30 Mins

Equipment Specifica Procedures

Min. Equipment Specific Procedure

1 Site visit and Walk through Survey

2. Individual equipment specific procedure

Hard copy and soft copy (PDF)

3. Customized signage for procedure Size : 1

4. Isolation Point Sticker (pack of 30)

SLOTO (Your Company Logo)

XYZ Paper Plant Ltd.
Equipment Specific LOTO Procedure

Version : frm ELP1.04

SECTION I: EQUIPMENT INFORMATION			
Procedure Number : 00001	Equipment Owner : Mr. X		
Equipment Name : Paper Roller Machine 01	Designation : Production Manager		
Equipment ID : AKB01	Contact No : +91 1234567890		
Equipment Location : Production Block 1, a	Second Floor		
	Authorized Employee : Mr. y		
	Contact No : +91 1234567891		

Picture of Isolation Points (Below picture is only to give an idea and not a real image)
(At Workshop) (at LT Panel Room)

SECTION II: SEQUENCE OF LOTO STEPS			
Step 1: Identify All Energy Sources			
Point no.	Energy Source	Type & Location of Isolation Device	Control Method
AKB01-E1	Electrical	LT Panel roof (MCB)	Turn of MCB and Apply MCB Lockout
AKB01-M1	Mechanical	Close the MCB of the Conveyor Belt	Turn of MCB and Apply Pin Lockout
AKB01-P1	Pneumatic	Airline Valve	Close the valve and apply Ball Valve Cover
AKB01-S1	Steam	Gate valve	Close the Valve and apply Gate Valve Cover

SLOTO (Your Company Logo)

XYZ Paper Plant Ltd.
Equipment Specific LOTO Procedure

Step 3: Shutdown Equipment
(List normal stopping procedures for equipment, this needs to be Discussed by the Production Team)

Step 4: Isolate Equipment (List procedures for disconnecting each energy source)

- 1 Close the Gate valve of the Steam Line and apply a Gatevalve cover on the Handle of the Valve
- 2 Turn of the SFU at the LT Panel Room
- 3 Close the ball valve of the Hot Water Line and apply a Ball Valve Cover on the Handle of the valve

Step 5: Lockout/Tagout the Equipment (Control methods are to be noted in "Step 1" of form)


- Attach lock(s) and tag(s) to each energy isolation device.
- Ensure all tags indicate name of lock holder and date applied.

Step 6: Release or Block Stored Energy (List procedures for dissipating stored energy)

- 1 Release Steam from the vent valve near ISOLATION POINT 4
- 2 Provide Earthing for the Capacitor Near the ON /OFF Push Button
- 3 Drain the Hot Water in the Line

Step 7: Verify Isolation (List procedures for attempting restart or otherwise ensuring effectiveness of LOTO)

- 1 Press the Push button near the Manhole
- 2 Open the Steam valve near the Material Entry Inlet





We definitely seek to add you in the above list.
Awaiting your valuable queries and enquires :

*Lockout or
Knockout
Choice is
Yours !*

Sloto Solutions Pvt. Ltd.
slotosolutions@gmail.com
+914040030068 | www.sloto.in
#26, Sri Malany Co-Op. Society
New Bowenpally, Secunderabad
Telangana State, India, 500 011

SLOTO

Safety Lock-Out and Tag-Out Systems